### **WASHINGTON**



### **CANCER BURDEN**

### In 2004, the American Cancer Society estimates that

- 1,368,030 new cancer cases will be diagnosed in the United States, including 27,380 in Washington.
- 563,700 cancer deaths will occur in the United States, including 11,280 in Washington.

The average annual age-adjusted death rate for cancer per 100,000 persons<sup>2</sup>

Washington: 195.3 National: 199.8

### **LUNG CANCER**

#### In 2004, the American Cancer Society estimates that1

- 3,520 new cases of lung cancer will be diagnosed among men and women in Washington.
- 3,250 men and women will die of lung cancer in Washington.

The CDC National Center for Health Statistics provides the following death rates:

## The average annual age-adjusted death rates for lung cancer per 100,000 persons, by race, 1997–2001<sup>2,3</sup>

	Washington	National
Overall	56.6	56.2
White	57.8	56.2
Black	65.2	65.2
Hispanic	19.9	24.9
Asian/Pacific Islander	28.0	28.2
American Indian/Alaska Nativ	re 47.4	36.3

### **BREAST CANCER**

#### In 2004, the American Cancer Society estimates that<sup>1</sup>

- 4,040 new cases of breast cancer will be diagnosed among women in Washington.
- 750 women will die of breast cancer in Washington.

The CDC National Center for Health Statistics provides the following death rates:

# The average annual age-adjusted death rates for breast cancer per 100,000 persons, by race, 1997–2001<sup>2,3</sup>

	Washington	National
Overall	25.0	27.0
White	25.4	26.4
Black	34.0	35.4
Hispanic	14.3	17.2
Asian/Pacific Islander	12.7	12.6
American Indian/Alaska Nativ	re 24.6	13.6

Visit http://www.cdc.gov/cancer/npcr/index.htm — *United States Cancer Statistics* — for more information on top cancer sites by geographic area, race, and gender.

#### **COLORECTAL CANCER**

### In 2004, the American Cancer Society estimates that<sup>1</sup>

- 2,720 new cases of colorectal cancer will be diagnosed among men and women in Washington.
- 1,050 men and women will die of colorectal cancer in Washington.

The CDC National Center for Health Statistics provides the following death rates:

## The average annual age-adjusted death rates for colorectal cancer per 100,000 persons, by race, 1997–2001<sup>2,3</sup>

Washington	National
18.5	20.8
18.5	20.3
25.0	28.3
13.6	14.2
12.9	13.0
ve 19.3	13.9
	18.5 25.0 13.6 12.9

### **PROSTATE CANCER**

#### In 2004, the American Cancer Society estimates that

- 4,850 new cases of prostate cancer will be diagnosed among men in Washington.
- 630 men will die of prostate cancer in Washington.

The CDC National Center for Health Statistics provides the following death rates:

# The average annual age-adjusted death rates for prostate cancer per 100,000 men, by race, 1997–2001<sup>2,3</sup>

	Washington	National
Overall	28.7	31.5
White	28.7	28.8
Black	63.1	70.4
Hispanic	16.5	23.6
Asian/Pacific Islander	13.7	13.0
American Indian/Alaska Nativ	ve -	20.2

<sup>&</sup>lt;sup>1</sup> Source: American Cancer Society Facts and Figures, 2004. Estimates exclude more than a million cases of basal and squamous cell skin cancers and *in situ* cancers, except urinary bladder, that will be diagnosed in 2004. Lung cancer rates include bronchus cancer. State death totals were rounded to nearest 10.

<sup>&</sup>lt;sup>2</sup> Source: Centers for Disease Control and Prevention (CDC) National Center for Health Statistics, vital statistics data, underlying cause of death, 1997–2001. Death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population.

<sup>&</sup>lt;sup>3</sup> Hyphens represent suppression of rates when there were 75,000 or fewer persons in the denominator or 20 or fewer deaths in the numerator.